

CPETH02 interface card

CompactPCI 10M/100M Ethernet interface card (2 ports)



■ Outline


- * 133Mbps CompactPCI bus
- * IEEE802.3 10BASE-T/100BASE-TX Specification standard

ITEM	SPECIFICATION
Controller	Intel 82559/25MHz ×2
Ethernet Interface	2 •10Mbps/10BASE-T or •100Mbps/100BASE-TX
Internal buffer data	3KB/ send data 3KB/ receive data
Connector	RJ45 ×2
User interface	LED×2 (Each port) · Link · Control
Bus standard	CompactPCI bus R2.1 PICMG2.0 R2.1 IEEE802.3
Environmental conditions	(Operating) Temperature: 0 ~ 55 °C Humidity: 35 ~ 95 % RH (No condensation) (Storage) Temperature: -10 ~ 70 °C Humidity: Less than 80 % RH (No condensation)
Power supply	DC 5V ±5% / typ 0.1 A DC 3.3V ±5% / typ 0.25 A
Dimensions	174 mmD×128 mmH×20 mmW (3U×1 Slot)

CPETH02 interface card

CompactPCI 10M/100M Ethernet interface card (2 ports)

CPETH02 block diagram



Please read the attached instruction manual carefully before use.
 Reproduction of this manual's contents in whole or in part without permission is prohibited.
 Please note the product introductions in this manual may be different from the real products due to product improvements etc.